



The specialist for fastening technology

ICC-ES CERTIFICATE ■■■■

**OUR SCREWS
ARE NOW
ICC-CERTIFIED!**

PANELTWISTEC AG

SAWTEC

KONSTRUX ST

SELF-TAPPING WOOD SCREWS



Paneltwistec AG

Washer head screw, blue galvanized



ADVANTAGES

- Faster and simpler screwing-in
- Reduced splitting effect
- National and international approvals
- Contains no chromium(VI) oxide
- No knocking of the screws when screwing in with a TX drive

Paneltwistec AG

Countersunk head, blue galvanized



ADVANTAGES

- Faster and simpler screwing-in
- Reduced splitting effect
- National and international approvals
- Contains no chromium(VI) oxide
- No knocking of the screws when screwing in with a TX drive

SawTec

blue galvanized



ADVANTAGES

- Quicker and easier screwing in with DAG tip
- DAG tip reduces screw-in torque
- Lower splitting effect
- Saw teeth under the head reduce chipping
- TX drive prevents screws from knocking when screwed in


Art. no.	Imperial	Dimensions [mm]	Drive-bit	PU
945947	#14 x 1-1/4"	6,0 x 30	TX30 ●	100
945948	#14 x 1-5/8"	6,0 x 40	TX30 ●	100
945712	#14 x 2"	6,0 x 50	TX30 ●	100
945713	#14 x 2-3/8"	6,0 x 60	TX30 ●	100
945716	#14 x 2-3/4"	6,0 x 70	TX30 ●	100
945717	#14 x 3-1/8"	6,0 x 80	TX30 ●	100
945718	#14 x 3-1/2"	6,0 x 90	TX30 ●	100
945719	#14 x 4"	6,0 x 100	TX30 ●	100
945720	#14 x 4-3/8"	6,0 x 110	TX30 ●	100
945721	#14 x 4-3/4"	6,0 x 120	TX30 ●	100
945722	#14 x 5-1/8"	6,0 x 130	TX30 ●	100
945723	#14 x 5-1/2"	6,0 x 140	TX30 ●	100
945724	#14 x 5-7/8"	6,0 x 150	TX30 ●	100
945725	#14 x 6-1/4"	6,0 x 160	TX30 ●	100
945726	#14 x 7-1/8"	6,0 x 180	TX30 ●	100
945727	#14 x 7-7/8"	6,0 x 200	TX30 ●	100
945728	#14 x 8-5/8"	6,0 x 220	TX30 ●	100
945729	#14 x 9-1/2"	6,0 x 240	TX30 ●	100
945730	#14 x 10-1/4"	6,0 x 260	TX30 ●	100
945731	#14 x 11"	6,0 x 280	TX30 ●	100
945732	#14 x 11-7/8"	6,0 x 300	TX30 ●	100
945806	5/16" x 2-3/8"	8,0 x 60	TX40 ●	50
944588	5/16" x 3-1/8"	8,0 x 80	TX40 ●	50
944589	5/16" x 4"	8,0 x 100	TX40 ●	50
944590	5/16" x 4-3/4"	8,0 x 120	TX40 ●	50
944591	5/16" x 5-1/2"	8,0 x 140	TX40 ●	50
944592	5/16" x 6-1/4"	8,0 x 160	TX40 ●	50
944593	5/16" x 7-1/8"	8,0 x 180	TX40 ●	50
944594	5/16" x 7-7/8"	8,0 x 200	TX40 ●	50
944595	5/16" x 8-5/8"	8,0 x 220	TX40 ●	50
944596	5/16" x 9-1/2"	8,0 x 240	TX40 ●	50
944597	5/16" x 10-1/4"	8,0 x 260	TX40 ●	50
944598	5/16" x 11"	8,0 x 280	TX40 ●	50
944599	5/16" x 11-7/8"	8,0 x 300	TX40 ●	50
944600	5/16" x 12-5/8"	8,0 x 320	TX40 ●	50
944601	5/16" x 13-3/8"	8,0 x 340	TX40 ●	50
944602	5/16" x 14-1/4"	8,0 x 360	TX40 ●	50
944603	5/16" x 15"	8,0 x 380	TX40 ●	50
944604	5/16" x 15-3/4"	8,0 x 400	TX40 ●	50
945750	3/8" x 3-1/8"	10 x 80	TX50 ●	50
945751	3/8" x 4"	10 x 100	TX50 ●	50
945752	3/8" x 4-3/4"	10 x 120	TX50 ●	50
945753	3/8" x 5-1/2"	10 x 140	TX50 ●	50
945754	3/8" x 6-1/4"	10 x 160	TX50 ●	50
945755	3/8" x 7-1/8"	10 x 180	TX50 ●	50
945756	3/8" x 7-7/8"	10 x 200	TX50 ●	50
945757	3/8" x 8-5/8"	10 x 220	TX50 ●	50
945758	3/8" x 9-1/2"	10 x 240	TX50 ●	50
945759	3/8" x 10-1/4"	10 x 260	TX50 ●	50
945760	3/8" x 11"	10 x 280	TX50 ●	50
945761	3/8" x 11-7/8"	10 x 300	TX50 ●	50
945762	3/8" x 12-5/8"	10 x 320	TX50 ●	50
945763	3/8" x 13-3/8"	10 x 340	TX50 ●	50
945764	3/8" x 14-1/4"	10 x 360	TX50 ●	50
945765	3/8" x 15"	10 x 380	TX50 ●	50
945766	3/8" x 15-3/4"	10 x 400	TX50 ●	50

Art. no.	Imperial	Dimensions [mm]	Drive-bit	PU
945583	#14 x 2-3/8"	6,0 x 60	TX30 ●	200
945584	#14 x 2-3/4"	6,0 x 70	TX30 ●	200
945632	#14 x 3-1/8"	6,0 x 80	TX30 ●	200
945633	#14 x 3-1/2"	6,0 x 90	TX30 ●	100
945634	#14 x 4"	6,0 x 100	TX30 ●	100
945635	#14 x 4-3/8"	6,0 x 110	TX30 ●	100
945636	#14 x 4-3/4"	6,0 x 120	TX30 ●	100
945637	#14 x 5-1/8"	6,0 x 130	TX30 ●	100
945638	#14 x 5-1/2"	6,0 x 140	TX30 ●	100
945639	#14 x 5-7/8"	6,0 x 150	TX30 ●	100
945640	#14 x 6-1/4"	6,0 x 160	TX30 ●	100
945641	#14 x 7-1/8"	6,0 x 180	TX30 ●	100
945642	#14 x 7-7/8"	6,0 x 200	TX30 ●	100
945643	#14 x 8-5/8"	6,0 x 220	TX30 ●	100
945644	#14 x 9-1/2"	6,0 x 240	TX30 ●	100
945645	#14 x 10-1/4"	6,0 x 260	TX30 ●	100
945646	#14 x 11"	6,0 x 280	TX30 ●	100
945647	#14 x 11-7/8"	6,0 x 300	TX30 ●	100
944715	5/16" x 3-1/8"	8,0 x 80	TX40 ●	50
944716	5/16" x 4"	8,0 x 100	TX40 ●	50
944717	5/16" x 4-3/4"	8,0 x 120	TX40 ●	50
944718	5/16" x 5-1/2"	8,0 x 140	TX40 ●	50
944719	5/16" x 6-1/4"	8,0 x 160	TX40 ●	50
944720	5/16" x 7-1/8"	8,0 x 180	TX40 ●	50
944721	5/16" x 7-7/8"	8,0 x 200	TX40 ●	50
944722	5/16" x 8-5/8"	8,0 x 220	TX40 ●	50
944723	5/16" x 9-1/2"	8,0 x 240	TX40 ●	50
944724	5/16" x 10-1/4"	8,0 x 260	TX40 ●	50
944725	5/16" x 11"	8,0 x 280	TX40 ●	50
944726	5/16" x 11-7/8"	8,0 x 300	TX40 ●	50
944727	5/16" x 12-5/8"	8,0 x 320	TX40 ●	50
944728	5/16" x 13-3/8"	8,0 x 340	TX40 ●	50
944729	5/16" x 14-1/4"	8,0 x 360	TX40 ●	50
944730	5/16" x 15"	8,0 x 380	TX40 ●	50
944731	5/16" x 15-3/4"	8,0 x 400	TX40 ●	50
944732	5/16" x 16-1/2"	8,0 x 420	TX40 ●	25
944733	5/16" x 17-3/8"	8,0 x 440	TX40 ●	25
944734	5/16" x 18-1/8"	8,0 x 460	TX40 ●	25
944735	5/16" x 18-7/8"	8,0 x 480	TX40 ●	25
944736	5/16" x 19-5/8"	8,0 x 500	TX40 ●	25
944737	5/16" x 21-5/8"	8,0 x 550	TX40 ●	25
944739	5/16" x 23-5/8"	8,0 x 600	TX40 ●	25
945687	3/8" x 4"	10 x 100	TX50 ●	50
945688	3/8" x 4-3/4"	10 x 120	TX50 ●	50
945689	3/8" x 5-1/2"	10 x 140	TX50 ●	50
945690	3/8" x 6-1/4"	10 x 160	TX50 ●	50
945691	3/8" x 7-1/8"	10 x 180	TX50 ●	50
945692	3/8" x 7-7/8"	10 x 200	TX50 ●	50
945693	3/8" x 8-5/8"	10 x 220	TX50 ●	50
945694	3/8" x 9-1/2"	10 x 240	TX50 ●	50
945695	3/8" x 10-1/4"	10 x 260	TX50 ●	50
945696	3/8" x 11"	10 x 280	TX50 ●	50
945697	3/8" x 11-7/8"	10 x 300	TX50 ●	50
945698	3/8" x 12-5/8"	10 x 320	TX50 ●	50
945699	3/8" x 13-3/8"	10 x 340	TX50 ●	50
945703	3/8" x 14-1/4"	10 x 360	TX50 ●	50
945709	3/8" x 15"	10 x 380	TX50 ●	50
945711	3/8" x 15-3/4"	10 x 400	TX50 ●	50

Art. no.	Imperial	Dimensions [mm]	Drive-bit	PU
954128	#14 x 2-3/8"	6,0 x 60	TX30 ●	100
954129	#14 x 2-3/4"	6,0 x 70	TX30 ●	100
954130	#14 x 3-1/8"	6,0 x 80	TX30 ●	100
954131	#14 x 4"	6,0 x 100	TX30 ●	100
954133	#14 x 4-3/4"	6,0 x 120	TX30 ●	100
954135	#14 x 5-1/2"	6,0 x 140	TX30 ●	100
954137	#14 x 6-1/4"	6,0 x 160	TX30 ●	100
954138	#14 x 7-1/8"	6,0 x 180	TX30 ●	100
954145	5/16" x 3-1/8"	8,0 x 80	TX40 ●	50
954146	5/16" x 4"	8,0 x 100	TX40 ●	50
954147	5/16" x 4-3/4"	8,0 x 120	TX40 ●	50
954148	5/16" x 5-1/2"	8,0 x 140	TX40 ●	50
954149	5/16" x 6-1/4"	8,0 x 160	TX40 ●	50
954150	5/16" x 7-1/8"	8,0 x 180	TX40 ●	50
954151	5/16" x 7-7/8"	8,0 x 200	TX40 ●	50
954152	5/16" x 8-5/8"	8,0 x 220	TX40 ●	50
954153	5/16" x 9-1/2"	8,0 x 240	TX40 ●	50
954154	5/16" x 10-1/4"	8,0 x 260	TX40 ●	50
954155	5/16" x 11"	8,0 x 280	TX40 ●	50
954156	5/16" x 11-7/8"	8,0 x 300	TX40 ●	50
954157	5/16" x 12-5/8"	8,0 x 320	TX40 ●	50
954158	5/16" x 13-3/8"	8,0 x 340	TX40 ●	50
954159	5/16" x 14-1/4"	8,0 x 360	TX40 ●	50
954160	5/16" x 15"	8,0 x 380	TX40 ●	50
954161	5/16" x 15-3/4"	8,0 x 400	TX40 ●	50
954162	3/8" x 4"	10,0 x 100	TX50 ●	50
954163	3/8" x 4-3/4"	10,0 x 120	TX50 ●	50
954164	3/8" x 5-1/2"	10,0 x 140	TX50 ●	50
954165	3/8" x 6-1/4"	10,0 x 160	TX50 ●	50
954166	3/8" x 7-1/8"	10,0 x 180	TX50 ●	50
954167	3/8" x 7-7/8"	10,0 x 200	TX50 ●	50
954168	3/8" x 8-5/8"	10,0 x 220	TX50 ●	50
954169	3/8" x 9-1/2"	10,0 x 240	TX50 ●	50
954170	3/8" x 10-1/4"	10,0 x 260	TX50 ●	50
954171	3/8" x 11"	10,0 x 280	TX50 ●	50
954172	3/8" x 11-7/8"	10,0 x 300	TX50 ●	50
954173	3/8" x 12-5/8"	10,0 x 320	TX50 ●	50
954174	3/8" x 13-3/8"	10,0 x 340	TX50 ●	50
954175	3/8" x 14-1/4"	10,0 x 360	TX50 ●	25
954176	3/8" x 15"	10,0 x 380	TX50 ●	25
954177	3/8" x 15-3/4"	10,0 x 400	TX50 ●	25

KonstruX ST full thread screw

Countersunk head, galvanized



BENEFITS OF DRILL POINT

- Reduced screwing torque
- High extraction resistance

Art. no.	Imperial	Dimensions [mm]	Drive-bit	PU
904857	1/4" x 3-1/8"	6,5 x 80	TX30 ●	100
904858	1/4" x 4"	6,5 x 100	TX30 ●	100
904859	1/4" x 4-3/4"	6,5 x 120	TX30 ●	100
904860	1/4" x 5-1/2"	6,5 x 140	TX30 ●	100
904790	5/16" x 3-3/4"	8,0 x 95	TX40 ●	50
904791	5/16" x 4-7/8"	8,0 x 125	TX40 ●	50
904792	5/16" x 6-1/8"	8,0 x 155	TX40 ●	50
904793	5/16" x 7-5/8"	8,0 x 195	TX40 ●	50
904794	5/16" x 8-5/8"	8,0 x 220	TX40 ●	50
904795	5/16" x 9-5/8"	8,0 x 245	TX40 ●	50
904796	5/16" x 10-5/8"	8,0 x 270	TX40 ●	50
904797	5/16" x 11-5/8"	8,0 x 295	TX40 ●	50
904798	5/16" x 13"	8,0 x 330	TX40 ●	50
904799	5/16" x 14-3/4"	8,0 x 375	TX40 ●	50
904800	5/16" x 15-3/4"	8,0 x 400	TX40 ●	50
904801	5/16" x 16-7/8"	8,0 x 430	TX40 ●	50
904802	5/16" x 18-7/8"	8,0 x 480	TX40 ●	50
904803	5/16" x 21-1/2"	8,0 x 545	TX40 ●	50
904770	3/8" x 4-7/8"	10,0 x 125	TX50 ●	25
904771	3/8" x 6-1/8"	10,0 x 155	TX50 ●	25
904772	3/8" x 7-5/8"	10,0 x 195	TX50 ●	25
904773	3/8" x 8-5/8"	10,0 x 220	TX50 ●	25
904774	3/8" x 9-5/8"	10,0 x 245	TX50 ●	25
904775	3/8" x 10-5/8"	10,0 x 270	TX50 ●	25
904776	3/8" x 11-7/8"	10,0 x 300	TX50 ●	25
904777	3/8" x 13"	10,0 x 330	TX50 ●	25
904778	3/8" x 14-1/4"	10,0 x 360	TX50 ●	25
904779	3/8" x 15-3/4"	10,0 x 400	TX50 ●	25
904780	3/8" x 17-3/4"	10,0 x 450	TX50 ●	25
904781	3/8" x 19-5/8"	10,0 x 500	TX50 ●	25
904782	3/8" x 21-5/8"	10,0 x 550	TX50 ●	25
904783	3/8" x 23-5/8"	10,0 x 600	TX50 ●	25

KonstruX ST full thread screw

Cylinder head, galvanized



BENEFITS OF DRILL POINT

- Reduced screwing torque
- High extraction resistance

Art. no.	Imperial	Dimensions [mm]	Drive-bit	PU
904808	1/4" x 3-1/8"	6,5 x 80	TX30 ●	100
904809	1/4" x 4"	6,5 x 100	TX30 ●	100
904810	1/4" x 4-3/4"	6,5 x 120	TX30 ●	100
904811	1/4" x 5-1/2"	6,5 x 140	TX30 ●	100
904812	1/4" x 6-1/4"	6,5 x 160	TX30 ●	100
904813	1/4" x 7-5/8"	6,5 x 195	TX30 ●	100
904825	5/16" x 6-1/8"	8,0 x 155	TX40 ●	50
904826	5/16" x 7-5/8"	8,0 x 195	TX40 ●	50
904827	5/16" x 8-5/8"	8,0 x 220	TX40 ●	50
904828	5/16" x 9-5/8"	8,0 x 245	TX40 ●	50
904834	5/16" x 10-5/8"	8,0 x 270	TX40 ●	50
904829	5/16" x 11-5/8"	8,0 x 295	TX40 ●	50
904830	5/16" x 13"	8,0 x 330	TX40 ●	50
904831	5/16" x 14-3/4"	8,0 x 375	TX40 ●	50
904832	5/16" x 15-3/4"	8,0 x 400	TX40 ●	50
944804	5/16" x 16-7/8"	8,0 x 430	TX40 ●	50
944805	5/16" x 18-7/8"	8,0 x 480	TX40 ●	50
944806	5/16" x 20-7/8"	8,0 x 530	TX40 ●	50
944807	5/16" x 22-7/8"	8,0 x 580	TX40 ●	50
904815	3/8" x 11-7/8"	10,0 x 300	TX50 ●	25
904816	3/8" x 13"	10,0 x 330	TX50 ●	25
904817	3/8" x 14-1/4"	10,0 x 360	TX50 ●	25
904818	3/8" x 15-3/4"	10,0 x 400	TX50 ●	25
904819	3/8" x 17-3/4"	10,0 x 450	TX50 ●	25
904820	3/8" x 19-5/8"	10,0 x 500	TX50 ●	25
904821	3/8" x 21-5/8"	10,0 x 550	TX50 ●	25
904822	3/8" x 23-5/8"	10,0 x 600	TX50 ●	25



INTERNATIONAL CODE COUNCIL EVALUATION SERVICE

WHAT IS ICC-ES?

The abbreviation ICC-ES stands for the International Code Council Evaluation Service and represents the American counterpart to the European Technical Approval (ETA). The service conducts technical evaluations of construction products according to U.S. standards.

WHAT IS AN ICC-ES REPORT?

The ICC-ES Report confirms that the respective construction product meets the framework conditions of the American authorities and therefore contains the results, conclusions and recommendations of the respective evaluation. It includes information about which code requirements or acceptance criteria were used to evaluate a product and how the product should be labelled or installed.



Our complete report with all parameters can be found under the QR code

DO YOU HAVE QUESTIONS REGARDING ICC-ES OR OTHER TOPICS?

Contact us now!



The specialist for fastening technology

Office.: (+1) 262 554 9309

E-Mail: Info@eurotec.us

Eurotec, Inc.

1860 Renaissance Blvd.

Sturtevant, WI 53177

Office.: (+1) 262 554 9309

E-Mail: info@eurotec.us

Home: www.eurotec.us

Follow us



www.eurotec.us